



PAVER INSPIRATION

[Great Hardscapes Start Here®]



PAVE THE WAY FOR INSPIRATION

What does your perfect outdoor space look like? Sleek and modern? Elegant and natural? Steeped in Old World charm? Whatever your vision, the Basalite paver collection will help you bring that vision to life.

Slab Series	05	CityScape Series Windsor	13	Stay-True™ Technology	19
Plank Series	07	CityScape Series Mission	15	Typical Paver Installation	20
Wood Grain Series	09	Permeable Mission	17	Patterns	21
Artisan Premier	11			Application Use Guide	22



TRUSTED INNOVATION

Constructed of durable, quality materials by qualified technicians, Basalite pavers stand the test of time, enhancing the functionality and aesthetic appeal of your home for years to come.

Expertise | Basalite is the trusted industry leader in hardscape products, with a history of innovation in materials, techniques, and technologies.

Service | We're proud of our reputation for exceptional service and reliability among retailers, landscape architects, engineers, and contractors.

Quality | Crafted in our local, state-of-the-art facility by qualified hardscape professionals, our pavers meet the highest quality standards.

Choice | Create the perfect look with a wide selection of paving styles, finishes, colours, and patterns to complement every home.

Durability | Combining style with strength, Basalite pavers are constructed to stand up against the elements and look good for years.



SLAB SERIES™


SIMPLE AND VERSATILE.

The possibilities are endless for this smooth or textured, clean-lined paver. Use them individually as stepping stones or combine them to create continuous surfaces such as patios or pathways.

COLOURS




Natural



Charcoal

SPECIFICATIONS



NAME	TEXTURE	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	APPLICATIONS		
12x12 Natural	Smooth	303mm W x 303mm L x 45mm H	11.93" W x 11.93" L x 1.77" H	10 kg	X		
18x18 Natural	Smooth	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	23 kg	X		
18x18 Charcoal	Smooth	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	23 kg	X		
12x24 Natural	Smooth	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	20.25kg	X		
12x24 Charcoal	Smooth	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	20.25kg	X		
24x24 Natural	Smooth, Slate or Washed	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	40.5 kg	X		
24x24 Charcoal	Smooth	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	40.5 kg	X		

For design consideration add 2mm or .07" to the W and L dimensions to allow for the spacers.



PEDESTRIAN

Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR

Indicates product is suitable for projects with light-duty vehicular use.



HEAVY-DUTY VEHICULAR

Indicates product is suitable for projects with commercial or heavy-duty vehicular use.

The printed colours shown in this brochure may vary from actual product colours. We recommend selecting colours from actual product samples. Please contact your local dealer for more information.



PLANK SERIES™

SLEEK AND MODERN.


Make a bold and elegant statement with these ultra-modern, streamlined pavers. Choose a natural tone palette for a serene, understated effect, or mix shades for graphic appeal and impact.

COLOURS



Natural Pewter Ebony

SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APPLICATIONS		
3x12	76mm W x 305mm L x 100mm H	3" W x 12" L x 4" H	4.8 kg	280	68	X		
3x18	76mm W x 457mm L x 100mm H	3" W x 18" L x 4" H	7.2 kg	140	51	X		

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.



PEDESTRIAN
Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR
Indicates product is suitable for projects with light-duty vehicular use.



HEAVY-DUTY VEHICULAR
Indicates product is suitable for projects with commercial or heavy-duty vehicular use.

The printed colours shown in this brochure may vary from actual product colours. We recommend selecting colours from actual product samples. Please contact your local dealer for more information.



WOOD GRAIN SERIES™

WARM AND NATURAL.


The warmth and appeal of natural wood is captured in fine detail with this durable, low-maintenance concrete paver that's perfect for decks and transitional spaces.

COLOURS



Driftwood

SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APPLICATIONS		
Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	8.6 kg	112	80			
For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.								



PEDESTRIAN
Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR
Indicates product is suitable for projects with light-duty vehicular use.



HEAVY-DUTY VEHICULAR
Indicates product is suitable for projects with commercial or heavy-duty vehicular use.

The printed colours shown in this brochure may vary from actual product colours. We recommend selecting colours from actual product samples. Please contact your local dealer for more information.



ARTISAN SLATE PREMIER BOLD AND VERSATILE.

This premium paver includes an inspiring palette of colors, textures and patterns, plus it's available with Basalite's Stay-True™ Technology for outstanding durability. (see page 17 for more details)

COLOURS




Positano




Torino

SPECIFICATIONS


6x6



6x12



12x12



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APPLICATIONS		
6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	3.2 kg	448	108	X	X	
6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	6.1 kg	224	108	X	X	
12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	9.1 kg	112	108	X	X	

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.



PEDESTRIAN
Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR
Indicates product is suitable for projects with light-duty vehicular use.



HEAVY-DUTY VEHICULAR
Indicates product is suitable for projects with commercial or heavy-duty vehicular use.



STAY-TRUE™ TECHNOLOGY
Product is available with Basalite® Stay-True™ technology. See page 17 for more information.

The printed colours shown in this brochure may vary from actual product colours. We recommend selecting colours from actual product samples. Please contact your local dealer for more information.




CITYSCAPE SERIES WINDSOR CLEAN AND CLASSIC.

These pavers have a classic touch, offering two colour choices and several appealing patterns. Create unique and enduring hardscapes with this inspiring series.

COLOURS







Grey



Charcoal

SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APPLICATIONS
4x8	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	2.7 kg	504	112	  

For design consideration add 2mm or .07" to the W and L dimensions to allow for the spacers.



PEDESTRIAN
Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR
Indicates product is suitable for projects with light-duty vehicular use.



HEAVY-DUTY VEHICULAR
Indicates product is suitable for projects with commercial or heavy-duty vehicular use.

The printed colours shown in this brochure may vary from actual product colours. We recommend selecting colours from actual product samples. Please contact your local dealer for more information.




CITYSCAPE SERIES MISSION SIZE AND DRAMA.

These bold pavers bring large outdoor areas to life, offering vivid colour choices and eye-catching patterns on a grand scale. Create unique and enduring hardscapes with this inspiring series.

COLOURS



SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APPLICATIONS
4.5x4.5	111mm W x 111mm L x 60mm H	4.37" W x 4.37" L x 2.375" H	1.8 kg	500	95.40	
4.5x9	111mm W x 223mm L x 60mm H	4.37" W x 8.78" L x 2.375" H	3.5 kg	350	95.40	
4.5x9	111mm W x 223mm L x 80mm H	4.37" W x 8.78" L x 3.15" H	3.5 kg	300	95.40	
9x9	223mm W x 223mm L x 60mm H	8.78" W x 8.78" L x 2.375" H	7 kg	175	95.40	

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.



PEDESTRIAN
Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR
Indicates product is suitable for projects with light-duty vehicular use.



HEAVY-DUTY VEHICULAR
Indicates product is suitable for projects with commercial or heavy-duty vehicular use.

The printed colours shown in this brochure may vary from actual product colours. We recommend selecting colours from actual product samples. Please contact your local dealer for more information.



PERMEABLE MISSION

BEAUTIFUL AND SUSTAINABLE

Permeable Mission allows water to drain naturally into the surface, providing safer and drier conditions for pedestrians. These pavers come palletized in a herringbone pattern, ready for mechanical installation to help increase the speed of construction.

COLOURS







Grey



Charcoal

SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APPLICATIONS
4.5x9	104mm W x 216.5mm L x 80mm H	4.1" W x 8.52" L x 3.15" H	4.66 kg	228	62.1	  
For design consideration add 8mm or .315" to the W and L dimensions to allow for the spacers.						



PEDESTRIAN
Indicates product is suitable for projects with pedestrian use.



LIGHT-DUTY VEHICULAR
Indicates product is suitable for projects with light-duty vehicular use.




HEAVY-DUTY VEHICULAR
Indicates product is suitable for projects with commercial or heavy-duty vehicular use.



MECHANICAL INSTALLATION
This product is manufactured for mechanical installation. A labor saving option for large installations.

THE STAY-TRUE™ DIFFERENCE

All standard finished pavers are available with Basalite® Stay-True™ Technology.



RICH COLOURS

Laboratory color results after pavers were exposed outdoors for over 3 years.



Without Stay-True™ With Stay-True™

ACID RAIN


Improves resistance to acid rain which contributes to paver fading and general wear.



Without Stay-True™ With Stay-True™

STAIN RESISTANT

Protects against stains, like mustard, wine, ketchup and coffee as tested below.



Without Stay-True™ With Stay-True™


TYPICAL PAVER INSTALLATION

Basalite concrete pavers are designed for optimal style and durability.

Correct installation will ensure that your outdoor space looks beautiful for years to come. These instructions provide a basic overview of paver installation methods.

Because methods vary for each product and application use, visit basalite.ca for installation instructions or refer to the standard ICPI installation method (ICPI.org).

1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material (typically 3" to 6" for pedestrian or light vehicular traffic and 8" to 10" for driveway applications), or as otherwise directed by the site engineer, architect, or landscape architect.
2. Install edge restraint using concrete curb, concrete toe or edging.
3. Place bedding course of sharp, normal-weight screening or concrete sand to a uniform depth of approximately 1" leveled to grade.
4. Install Basalite pavers hand tight with joints approximately 1/8". Where required, cut stones with an approved cutter to fit accurately.
5. Pavers should be pulled from multiple pallets for proper color blending.
6. Tamp pavers with mechanical vibrator, uniformly level, true to grade and free of movement. Textured pavers require a rubber pad for the vibrator to reduce scuffing.
7. Fill voids in joints by sweeping dry, fine, sharp sand over pavers.



PATTERNS

Refer to the letter designation under each pattern and at the bottom of the page for paver products that can be used with the patterns shown.


APPLICATION USE GUIDE

Not sure what product will fit your project?

The Application Use Guide lets you know what paver products are suitable for pedestrian and vehicular traffic conditions.


ONE PIECE PATTERNS

Square Running bond
100% of 4.5x4.5, 6x6, 9x9, 12x12, 18x18 or 24x24




SS | ASP | CSW

Rectangle Running bond
100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8




PS | WG | AP | CSM | CSW

Stacked
100% of 12x12, 18x18 or 24x24




SS

90% Herringbone
100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8




PS | WG | AP | CSM | CSW

Basket Weave
100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8



PS | WG | AP | CSM | CSW


Double Basket Weave
100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8



PS | WG | AP | CSM | CSW


TWO & THREE PIECE PATTERNS

Mixed Running Bond
50% 3x18 and 3x12



PS

Double Half Pinwheel
80% 6x12 and 20% 6x6 or 80% 4.5x9 and 20% 4.5x4.5



AP | CSM

WANT MORE PATTERNS?

Visit Basalite.ca, select the paver you are looking for, Product Documents and Paver Patterns to see all available patterns.

PAGE	PRODUCT	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	APPLICATIONS		
6	12x12 Natural (Smooth)	303mm W x 303mm L x 45mm H	11.93" W x 11.93" L x 1.77" H	X		
6	18x18 Natural (Smooth)	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	X		
6	18x18 Charcoal (Smooth)	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	X		
6	12x24 Natural (Smooth)	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	X		
6	12x24 Charcoal (Smooth)	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	X		
6	24x24 Natural (Smooth, Slate or Washed)	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	X		
6	24x24 Charcoal (Smooth)	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	X		
8	Plank Paver 3x12	76mm W x 305mm L x 100mm H	3" W x 12" L x 4" H	X		
8	Plank Paver 3x18	76mm W x 457mm L x 100mm H	3" W x 18" L x 4" H	X		
10	Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	X		
12	Artisan Slate Premier 6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	X	X	
12	Artisan Slate Premier 6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	X	X	
12	Artisan Slate Premier 12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	X	X	
14	CityScape Series Windsor 4x8	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	X	X	X
16	CityScape Series Mission 4.5x4.5	111mm W x 111mm L x 60mm H	4.37" W x 4.37" L x 2.375" H	X	X	
16	CityScape Series Mission 4.5x9	111mm W x 223mm L x 60mm H	4.37" W x 8.78" L x 2.375" H	X	X	
16	CityScape Series Mission 4.5x9	111mm W x 223mm L x 80mm H	4.37" W x 8.78" L x 3.15" H	X	X	
16	CityScape Series Mission 9x9	223mm W x 223mm L x 60mm H	8.78" W x 8.78" L x 2.375" H	X	X	
18	Permeable Mission	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	X	X	X

The Application Use Guide is only a guideline. Contact your Basalite Representative for specific design details. All vehicular traffic pavements require a site specific design by a professional engineer.



A ratio of 5:1 for Pedestrian applications only.



Generally not to exceed 4:1 for Residential and Light-Duty Vehicular applications.



Generally not to exceed 3:1 for Commercial Vehicular applications.

STILL HAVE QUESTIONS?

We're here to help you get the information and products you need.
Call 800-596-3844 or email us at bcpavers@basalite.com.

QUALITY FROM START TO FINISH

Located in the Lower Mainland of British Columbia, our state-of-the-art facility enables us to control every step of the manufacturing process and ensure the highest standards of quality and durability. When you choose Basalite pavers, your outdoor spaces will stand the test of time and stylish enough to look good doing it.

basalite.ca

©2020 Basalite® Concrete Products, LLC. All trademarks ® are registered trademarks.

follow us

