

PAVE THE WAY FOR INSPIRATION

What does your perfect outdoor space look like? Sleek and modern? Elegant and natural? Steeped in Old World charm? Whatever your vision, the Basalite paver collection will help you bring that vision to life.

Slab Series **Plank Series Wood Grain Series Artisan Premier**

CityScape Series Windsor 13 CityScape Series Mission 15

Permeable Mission

Stay-True™ Technology Typical Paver Installation Patterns

Application Use Guide



TRUSTED INNOVATION

Constructed of durable, quality materials by qualified technicians, Basalite pavers stand the test of time, enhancing the functionality and aesthetic appeal of your home for years to come.


Expertise | Basalite is the trusted industry leader in hardscape products, with a history of innovation in materials, techniques, and technologies.

Service | We're proud of our reputation for exceptional service and reliability among retailers, landscape architects, engineers, and contractors.

Quality | Crafted in our local, state-of-the-art facility by qualified hardscape professionals, our pavers meet the highest quality standards.

Choice | Create the perfect look with a wide selection of paving styles, finishes, colours, and patterns to complement every home.

Durability | Combining style with strength, Basalite pavers are constructed to stand up against the elements and look good for years.




SLAB SERIESTM SIMPLE AND VERSATILE.

The possibilities are endless for this smooth or textured, cleanlined paver. Use them individually as stepping stones or combine them to create continuous surfaces such as patios or pathways.

COLOURS



SPECIFICATIONS




					APPLICATIONS			
NAME	TEXTURE	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	庆			
12x12 Natural	Smooth	303mm W x 303mm L x 45mm H	11.93" W x 11.93" L x 1.77" H	10 kg	Χ			
18x18 Natural	Smooth	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	23 kg	Х			
18x18 Charcoal	Smooth	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	23 kg	Х			
12x24 Natural	Smooth	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	20.25kg	X			
12x24 Charcoal	Smooth	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	20.25kg	X			
24x24 Natural	Smooth, Slate or Washed	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	40.5 kg	X			
24x24 Charcoal	Smooth	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	40.5 kg	Х			

For design consideration add 2mm or .07" to the W and L dimensions to allow for the spacers.










PLANK SERIESTM SLEEK AND MODERN.

Make a bold and elegant statement with these ultra-modern, streamlined pavers. Choose a natural tone palette for a serene, understated effect, or mix shades for graphic appeal and impact.


COLOURS







SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET		LICATION
3x12	76mm W x 305mm L x 100mm H	3" W x 12" L x 4" H	4.8 kg	280	68	Х	
3x18	76mm W x 457mm L x 100mm H	3" W x 18" L x 4" H	7.2 kg	140	51	Х	

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the space





HEAVY-DUTY VEHICULAR
Indicates product is suitable
for projects with commercial
or heavy-duty vehicular use.



WOOD GRAIN SERIES™ WARM AND NATURAL.


The warmth and appeal of natural wood is captured in fine detail with this durable, low-maintenance concrete paver that's perfect for decks and transitional spaces.

COLOURS



Driftwood

SPECIFICATIONS




NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APPLI	CATIO	ONS
Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	8.6 kg	112	80	Х		

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers









ARTISAN SLATE PREMIER BOLD AND VERSATILE.

This premium paver includes an inspiring palette of colors, textures and patterns, plus it's available with Basalite's Stay-True™ Technology for outstanding durability. (see page 19 for more details)

COLOURS






Positano

IOTITIO

SPECIFICATIONS



	_			WEIGHT	UNITS/PALLET SQ. FT./PALLET	APP	LICAT	IONS	
NAM	IE	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. F1./PALLET	夾		
6x6)	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	3.2 kg	448	108	Х	Х	
6x12	2	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	6.1 kg	224	108	Х	Χ	
12x1	2	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	9.1 kg	112	108	Х	X	

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.














CITYSCAPE SERIES WINDSOR CLEAN AND CLASSIC.

These pavers have a classic touch, offering two colour choices and several appealing patterns. Create unique and enduring hardscapes with this inspiring series.

COLOURS





SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APP	LICAT	IONS
4x8	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	2.7 kg	504	112	Χ	X	

For design consideration add 2mm or .07" to the W and L dimensions to allow for the spacers.










CITYSCAPE SERIES MISSION SIZE AND DRAMA.

These bold pavers bring large outdoor areas to life, offering vivid colour choices and eye-catching patterns on a grand scale. Create unique and enduring hardscapes with this inspiring series.

COLOURS



SPECIFICATIONS




NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET	APP	LICAT	IONS
4.5x4.5	111mm W x 111mm L x 60mm H	4.37" W x 4.37" L x 2.375" H	1.8 kg	500	95.40	X		
4.5x9	111mm W x 223mm L x 60mm H	4.37" W x 8.78" L x 2.375" H	3.5 kg	350	95.40	Х		
4.5x9	111mm W x 223mm L x 80mm H	4.37" W x 8.78" L x 3.15" H	3.5 kg	300	95.40	X	Х	X
9x9	223mm W x 223mm L x 60mm H	8.78" W x 8.78" L x 2.375" H	7 kg	175	95.40	Х		

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers









PERMEABLE MISSION BEAUTIFULAND SUSTAINABLE

Permeable Mission allows water to drain naturally into the surface, providing safer and drier conditions for pedestrians. These pavers come palletized in a herringbone pattern, ready for mechanical installation to help increase the speed of construction.

COLOURS





SPECIFICATIONS



NAME	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	WEIGHT	UNITS/PALLET	SQ. FT./PALLET		LICAT	IONS
Permeable Mission	104mm W x 216.5mm L x 80mm H	4.1" W x 8.52" L x 3.15" H	4.66 kg	228	61.5	Х	X	X

For design consideration add 8mm or .315" to the W and L dimensions to allow for the spacers.





LIGHT-DUTY VEHICULAR Indicates product is suitable for projects with light-duty




HEAVY-DUTY VEHICULAR Indicates product is suitable for projects with commercial or heavy-duty vehicular use.



THE STAY-TRUETM DIFFERENCE

All standard finished pavers are available with Basalite® Stay-True™ Technology.




providing long-lasting compressive strength.

RICH COLOURS

Laboratory color results after pavers were exposed outdoors for over 3 years.





ACID RAIN

Improves resistance to acid rain which contributes to paver fading and general wear.







Without Stay-True™ With Stay-True™

STAIN RESISTANT

Protects against stains, like mustard, wine, ketchup and coffee as tested below.







Without Stay-True™ With Stay-True™

TYPICAL PAVER INSTALLATION


Basalite concrete pavers are designed for optimal style and durability. Correct installation will ensure that your outdoor space looks beautiful for years to come. These instructions provide a basic overview of paver installation methods. Because methods vary for each product and application use, visit basalite.ca for installation instructions or refer to the standard ICPI installation method (ICPI.org).

- 1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material (typically 3" to 6" for pedestrian or light vehicular traffic and 8" to 10" for driveway applications), or as otherwise directed by the site engineer, architect, or landscape architect.
- 2. Install edge restraint using concrete curb, concrete toe or edging.
- 3. Place bedding course of sharp, normal-weight screening or concrete sand to a uniform depth of approximately 1" leveled to grade.

- 4. Install Basalite pavers hand tight with joints approximately 1/8". Where required, cut stones with an approved cutter to fit accurately.
- 5. Pavers should be pulled from multiple pallets for proper color blending.
- 6. Tamp pavers with mechanical vibrator, uniformly level, true to grade and free of movement. Textured pavers require a rubber pad for the vibrator to reduce scuffing.

20

7. Fill voids in joints by sweeping dry, fine, sharp sand over pavers.



19

PATTERNS


Refer to the letter designation under each pattern and at the bottom of the page for paver products that can be used with the patterns shown.

ONE PIECE PATTERNS


100% of 4.5x4.5, 6x6, 9x9, 12x12, 18x18 or 24x24

Square Running bond


Rectangle Running bond 100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8




Stacked 100% of 12x12, 18x18 or 24x24




90% Herringbone 100% 3x18, 3x12, Wood Grain, 6x12, 4.5x9 or 4x8




Basket Weave 100% 3x18, 3x12, Wood Grain



Double Basket Weave 100% 6x12, 4.5x9 or 4x8




TWO & THREE PIECE PATTERNS



Mixed Running Bond

Double Half Pinwheel 80% 6x12 and 20% 6x6 or 80% 4.5x9 and 20% 4.5x4.5



WANT MORE PATTERNS?

Visit Basalite.ca, select the paver you are looking for, Product Documents and Paver Patterns to see all available patterns.

APPLICATION USE GUIDE

Not sure what product will fit your project?

The Application Use Guide lets you know what paver products are suitable for pedestrian and vehicular traffic conditions.

				APPLICATIO		
PAGE	PRODUCT	METRIC DIMENSIONS	IMPERIAL DIMENSIONS	庆		
6	12x12 Natural (Smooth)	303mm W x 303mm L x 45mm H	11.93" W x 11.93" L x 1.77" H	Χ		
6	18x18 Natural (Smooth)	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	Χ		
6	18x18 Charcoal (Smooth)	455mm W x 455mm L x 45mm H	17.91" W x 17.91" L x 1.77" H	Х		
6	12x24 Natural (Smooth)	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	Χ		
6	12x24 Charcoal (Smooth)	303mm W x 608mm L x 50mm H	11.93" W x 23.94" L x 1.77" H	Х		
6	24x24 Natural (Smooth, Slate or Washed)	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	Χ		
6	24x24 Charcoal (Smooth)	608mm W x 608mm L x 50mm H	23.94" W x 23.94" L x 1.97" H	Х		
8	Plank Paver 3x12	76mm W x 305mm L x 100mm H	3" W x 12" L x 4" H	Χ		
8	Plank Paver 3x18	76mm W x 457mm L x 100mm H	3" W x 18" L x 4" H	Х		
10	Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	Χ		
12	Artisan Slate Premier 6x6	148mm W x 148mm L x 60mm H	5.83" W x 5.83" L x 2.375" H	Χ	Х	
12	Artisan Slate Premier 6x12	148mm W x 298mm L x 60mm H	5.83" W x 11.73" L x 2.375" H	Χ	Х	
12	Artisan Slate Premier 12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H	Х	Х	
14	CityScape Series Windsor 4x8	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	Χ	Χ	Χ
16	CityScape Series Mission 4.5x4.5	111mm W x 111mm L x 60mm H	4.37" W x 4.37" L x 2.375" H	Х	Х	
16	CityScape Series Mission 4.5x9	111mm W x 223mm L x 60mm H	4.37" W x 8.78" L x 2.375" H	Χ	Х	
16	CityScape Series Mission 4.5x9	111mm W x 223mm L x 80mm H	4.37" W x 8.78" L x 3.15" H	Х	Х	X
16	CityScape Series Mission 9x9	223mm W x 223mm L x 60mm H	8.78" W x 8.78" L x 2.375" H	Χ	Х	
18	Permeable Mission	98mm W x 198mm L x 60mm H	3.85" W x 7.79" L x 2.375" H	Χ	Х	X

The Application Use Guide is only a guideline. Contact your Basalite Representative for specific design details. All vehicular traffic pavements require a site specific design by a professional engineer.





Generally not to exceed 4:1 for Residential and Light-Duty Vehicular applications.



22

STILL HAVE QUESTIONS?

We're here to help you get the information and products you need Call 800-596-3844 or email us at bcpavers@basalite.com.

SS | Slab Series PS | Plank Series WG | Wood Grain Series ASP | Artisan Slate Premier CSM | CitySCAPE Mission CSM | CitySCAPE Windsor

21

QUALITY FROM START TO FINISH

Located in the Lower Mainland of British Columbia. our state-of-the-art facility enables us to control every step of the manufacturing process and ensure the highest standards of quality and durability. When you choose Basalite pavers, your outdoor spaces will stand the test of time and stylish enough to look good doing it.



